

|   |       |              |                   |          |
|---|-------|--------------|-------------------|----------|
| 1 |       |              |                   |          |
| a |       |              | 15-28             |          |
|   | ≤ 85% |              |                   |          |
| b |       |              | 2 × 0.8 × 0.8m    |          |
|   |       |              | 680 × 640 × 996mm |          |
| c |       |              |                   |          |
| d |       |              |                   |          |
| 2 |       |              |                   |          |
| a |       | AC220V ± 10% | 50 ± 1Hz          |          |
| b |       |              |                   | 3KW      |
|   |       |              | ≤ 500W            | 10A      |
| c |       |              |                   |          |
| d |       |              | 500VA             |          |
| 3 |       |              |                   |          |
| a | 1     |              | 5Mpa              | ≥ 99.5%  |
|   | 99.9% |              |                   |          |
| b | 1     |              | 5 Mpa             | ≥ 99.9%  |
| c | 1     |              | 5 Mpa             | ≥ 99.99% |
| 4 |       | 0.1mg        | 1                 | 1        |

|   |              |          |                   |   |
|---|--------------|----------|-------------------|---|
| 1 |              |          |                   |   |
| a |              |          | 15-28             |   |
|   | ≤ 85%        |          |                   |   |
| b |              |          | 2 × 0.8 × 0.8m    |   |
|   |              |          | 680 × 640 × 996mm |   |
| c |              |          |                   |   |
| d |              |          |                   |   |
| 2 |              |          |                   |   |
| a | AC220V ± 10% | 50 ± 1Hz |                   |   |
| b |              |          | 3KW               |   |
|   |              | ≤ 500W   | 10A               |   |
| c |              |          |                   |   |
| d |              | 500VA    |                   |   |
| 3 |              |          |                   |   |
| a | 1            | 5Mpa     | ≥ 99.5%           |   |
|   | 99.9%        |          |                   |   |
| b | 1            | 5 Mpa    | ≥ 99.9%           |   |
| 4 |              | 0.1mg    | 1                 | 1 |



|   |       |              |                   |          |
|---|-------|--------------|-------------------|----------|
| 1 |       |              |                   |          |
| a |       |              | 15-28             |          |
|   | ≤ 85% |              |                   |          |
| b |       |              | 2 × 0.8 × 0.8m    |          |
|   |       |              | 680 × 640 × 996mm |          |
| c |       |              |                   |          |
| d |       |              |                   |          |
| 2 |       |              |                   |          |
| a |       | AC220V ± 10% | 50 ± 1Hz          |          |
| b |       |              |                   | 3KW      |
|   |       |              | ≤ 500W            | 10A      |
| c |       |              |                   |          |
| d |       |              | 500VA             |          |
| 3 |       |              |                   |          |
| a | 1     |              | 5Mpa              | ≥ 99.5%  |
|   | 99.9% |              |                   |          |
| b | 1     |              | 5 Mpa             | ≥ 99.9%  |
| c | 1     |              | 5 Mpa             | ≥ 99.99% |
| 4 |       | 0.1mg        | 1                 | 1        |

|   |              |        |                |  |
|---|--------------|--------|----------------|--|
| 1 |              |        |                |  |
| a |              |        | 15-30          |  |
|   | ≤ 85%        |        |                |  |
| b |              |        | 2 × 0.8 × 0.8m |  |
| c |              |        |                |  |
| d |              |        |                |  |
| 2 |              |        |                |  |
| a | AC220V ± 10% |        |                |  |
| b |              |        | 4.5KW          |  |
|   |              | ≤ 500W | 10A            |  |
| c |              |        |                |  |
| d |              | 500VA  |                |  |
| 3 |              |        |                |  |
| a | 1            | 5Mpa   | ≥ 99.5%        |  |
|   | 99.9%        |        |                |  |
| b | 1            | 5 Mpa  | ≥ 99.9%        |  |
| c | 1            | 5 Mpa  | ≥ 99.99%       |  |
| 4 | 0            |        |                |  |

1

a

15-30

≤ 85%

b

2 × 0.8 × 0.8m

c

d

2

a

AC220V ± 10%

b

3.5KW

≤ 500W

c

d

1

a

15-30

b

$\leq 85\%$